

PINNACLE TAPE LIGHT SYSTEM • MATRIX SHEET

INDOOR SINGLE COLOR TAPE LIGHT ASSORTMENT		DAY-TO-DAY	HIGH LUMEN	LONG RUNS	COB	LONG RUN COB	COMMERCIAL
	MEASUREMENTS	TL350	TL600	TL170	TL360	TL210	TL250
	Watts/foot	2.9 W/ft.	5.1 W/ft.	1.9 W/ft.	4.6 W/ft.	2.3W/ft.	2.9 W/ft.
	Lumens/foot	322 lm/ft.	563 lm/ft.	198 lm/ft.	434 lm/ft.	200LM/ft.	236 lm/ft.
	Reel size	16.4ft. / 5m	16.4ft./ 5m	49.2ft. / 15m	16.4ft. / 5m	32.8ft./10m	32.8ft. / 10m
	Max run	26.2ft. / 8m (76W)	16.4ft. / 5m (84W)	49.2ft. / 15m (94W)	16.4ft. / 5m (76W)	32.8ft./10m (75W)	32.8ft. / 10m (96W)
	ACCESSORIES						
2-pin screw connectors	TL-DUAL-2-10 All-in-One 	•	•	•	•	•	•
	TL-STB-2-10 Terminal Block 	•	•	•	•	•	•
	TL-STT-2-10 Tape-to-Tape/Wire 	•	•	•	•	•	•
	TL-STW8-2-10 Tape-to-8" Wire Lead 	•	•	•	•	•	•
	TL-SJOIN8-2-10 Tape-to-Tape + 8" Wire 	•	•	•	•	•	•
	TL-SLTT-2-10 Tape-to-Tape L Corner 	•	•	•	•	•	•
	TL-EXT6FT-2-10 6FT Extension 	•	•	•	•	•	•





PINNACLE TAPE LIGHT SYSTEM • MATRIX SHEET

INDOOR CCT & RGB TAPE LIGHT ASSORTMENT		CCT DAY-TO-DAY	CCT LONG RUNS	CCT COB	LONG RUN COBCCT	RGB+CCT
	<p>MEASUREMENTS</p> <p>Watts/foot</p> <p>Lumens/foot</p> <p>Reel size</p> <p>Max run</p>	<p>TL350-CCT</p> <p>2.9 W/ft.</p> <p>322 lm/ft.</p> <p>16.4ft. / 5m</p> <p>26.2ft. / 8m (76W)</p>	<p>TL170-CCT</p> <p>1.9 W/ft.</p> <p>198 lm/ft.</p> <p>49.2ft. / 15m</p> <p>49.2ft. / 15m (94W)</p>	<p>TL360-CCT</p> <p>4.6 W/ft.</p> <p>376 lm/ft.</p> <p>16.4ft. / 5m</p> <p>16.4ft. / 5m (76W)</p>	<p>TL210-CCT</p> <p>2.3W/ft</p> <p>200LM/ft</p> <p>32.8ft./10m</p> <p>32.8ft./10m (75W)</p>	<p>TL200-RGB</p> <p>3.7 W/ft.</p> <p>198 lm/ft.</p> <p>16.4ft. / 5m</p> <p>25.9ft. / 7.8m (95W)</p>
	<p>ACCESSORIES</p>					
3-pin screw connectors	<p>TL-DUAL-CCT-3-10 All-in-One</p> 	•	•			
	<p>TL-STW8-CCT-3-10 Tape-to-8" Wire Lead</p> 	•	•			
	<p>TL-SLTT-CCT-3-10 Tape-to-Tape L Corner</p> 	•	•			
	<p>TL-DUAL-CCT-COB All-in-One</p> 			•	•	
	<p>TL-STW8-CCT-COB Tape-to-8" Wire Lead</p> 			•	•	
	<p>TL-SLTT-CCT-COB Tape-to-Tape L Corner</p> 			•	•	
6-pin snap connectors	<p>TL-CTT-6-12 Tape-to-Tape</p> 					•
	<p>TL-CTW6-6-12 Tape-to-6" Wire Lead</p> 					•
	<p>TL-CJOIN6-6-12 Tape-to-Tape Joiner</p> 					•
	<p>TL-EXT20FT-6-12 20FT Extension</p> 					•
Controllers & remotes	<p>TL-WIFI-CTLR Wifi & RF Controller</p> 	•	•	•	•	•
	<p>TL-RGBCCT-RMT RGB+CCT RF Remote</p> 					

PINNACLE TAPE LIGHT SYSTEM • MATRIX SHEET

OUTDOOR TAPE LIGHT ASSORTMENT		RGB+W	COB	CT COB	DAY-TO-DAY	CCT DAY-TO-DAY	DIRECT 120 V	DIRECT 120 V
	MEASUREMENTS	TL150	TL260	TL260-CCT	TL290	TL290-CCT	TL400	TL400
	Watts/foot	4.6 W/ft.	3 W/ft.	3 W/ft.	2.9 W/ft.	2.9 W/ft.	4.5 W/ft.	4.5 W/ft.
	Lumens/foot	138 lm/ft.	272 lm/ft.	272 lm/ft.	290 lm/ft.	290 lm/ft.	414 lm/ft.	414 lm/ft.
	Reel size	16.4ft. / 5m	16.4ft. / 5m	16.4ft. / 5m	26.2ft. / 8m	26.2ft. / 8m	100ft. / 30.5m	100ft. / 30.5m
	Max run	16.4ft. / 5m (75W)	16.4ft. / 5m (49W)	16.4ft. / 5m (49W)	26.2ft. / 8m (76W)	26.2ft. / 8m (76W)	100ft. / 30.5m (450W)	100ft. / 30.5m (450W)
	ACCESSORIES							
5-pin RGB Neonflex connectors	TL-EC24V-1515 End Caps 	•						
	TL-WL6-1515 Tape-to-Wire 	•						
	TL-JOIN6-1515 Tape-to-Tape 	•						
	TL-CLIP-1515 Mounting Brackets 	•						
Controllers & connectors	TL-WIFI-CTLR Wifi & RF Controller 	•		•		•		
	TL-RGBW-RMT RGBW RF Remote 	•						
TL260 2-pin wet location COB67 connectors	TL-EC-COB67 End Caps 		•	•				
	TL-WL6FT-COB67 Tape-to-Wire 		•					
	TL-JOIN12-COB67 Tape-to-Tape 		•					
	TL-CLIP-COB67 Mounting Clips 		•	•				
TL290 2-pin wet location connectors	TL290-EC End Caps 				•	•		
	TL290-WL6FT Tape-to-Wire 				•			
	TL290-JOIN12 Tape-to-Tape 				•			
	TL290-CLIP Mounting Clips 				•	•		
120V accessories	TL-CLIP120V Mounting Brackets 						•	•
	TL-EC120V 120 V End Cap 						•	•
TL100 Underwater accessories	TL100-CLIP-H Horizontal Mounting Clip 							
	TL100-CLIP-V Vertical Mounting Clip 							

PINNACLE TAPE LIGHT SYSTEM • MATRIX SHEET

24V DRIVERS ASSORTMENT		TL350 & TL350-CCT	TL600	TL170 & TL170-CCT	TL360 & TL360-CCT	TL210 & TL210-CCT	TL250	TL200	TL150	TL260 & TL260-CCT	TL290 & TL290-CCT	TL100	PL24V-CCT
MEASUREMENTS													
Watts/foot		2.9 W/ft.	5.1 W/ft.	1.9 W/ft.	4.6 W/ft.	2.3W/ft	2.9 W/ft.	3.7 W/ft.	3.7 W/ft.	3 W/ft.	2.9 W/ft.	4.6W/ft	n/a
Lumens/foot		322 lm/ft.	563 lm/ft.	198 lm/ft.	434 lm/ft.	200LM/ft	236 lm/ft.	198 lm/ft.	138 lm/ft.	272 lm/ft.	290 lm/ft.	105LM/ft	n/a
Reel size		16.4ft. / 5m	16.4ft. / 5m	49.2ft. / 15m	16.4ft. / 5m	32.8ft. / 10m	32.8ft. / 10m	16.4ft. / 5m	16.4ft. / 5m	16.4ft. / 5m	26.2ft. / 8m	16.4ft / 5m	n/a
Max run		26.2ft. / 8m (76W)	16.4ft. / 5m (84W)	49.2ft. / 15m (94W)	16.4ft. / 5m (76W)	32.8ft. / 10m (75W)	32.8ft. / 10m (96W)	25.9ft. / 7.8m (95W)	16.4ft. / 5m (75W)	16.4ft. / 5m (49W)	26.2ft. / 8m (76W)	16.4ft / 5m (76W)	n/a
DRIVERS													
TLD24V-30W		10ft 3m	5.8ft 1.7m	15.7ft 4.7m	6.5ft 2m	13ft 3.9m	10ft 3m	8.1ft 2.5m	6.5ft 2m	10ft 3m	10ft 3m	6.5ft 2m	8 puck lights
TLD24V-60W		20ft 6.1m	11.7ft 3.5m	31.5ft 9.6m	13ft 4m	26ft 7.9m	20ft 6.1m	16.4ft 5m	13ft 3.9m	20ft 6.1m	20ft 6.1m	13ft 4m	17 puck lights
TLD24V-96W		33ft 10m	18.8ft 5.7m	50.5ft 15.3m	20ft 6m	41.7ft 12.7m	33ft 10m	25.9ft 7.8m	20ft 6m	32ft 9.7m	33ft 10m	20ft 6m	
TLD24V-96W-10		33ft 10m	18.8ft 5.7m	50.5ft 15.3m	20ft 6m	41.7ft 12.7m	33ft 10m	25.9ft 7.8m	20ft 6m	32ft 9.7m	33ft 10m	20ft 6m	
TLD24V-192W		66.3ft 20.1m	37.6ft 11.5m	101ft 30.7m	41.7ft 12.7m	83.4ft 25.4m	66.2ft 20.1m	51.9ft 15.8m	41.7ft 12.7m	64ft 19.5m	66.2ft 20.1m	41.7ft 12.7m	
TLD24V-288W		99.3ft 30.3m	56.5ft 17.2m	151.5ft 46.1m	62.6ft 19m	125.2ft 38.1m	99.3ft 30.3m	77.8ft 23.7m	62.6ft 19m	96ft 29.2m	99.3ft 30.3m	62.6ft 19m	
TLD24V-MINI-60W		20ft 6.1m	11.7ft 3.5m	31.5ft 9.6m	13ft 4m	26ft 7.9m	20ft 6.1m	16.4ft 5m	13ft 3.9m	20ft 6.1m	20ft 6.1m	13ft 4m	17 puck lights
TLD24V-MINI-96W		33ft 10m	18.8ft 5.7m	50.5ft 15.3m	20ft 6m	41.7ft 12.7m	33ft 10m	25.9ft 7.8m	20ft 6m	32ft 9.7m	33ft 10m	20ft 6m	
TLD24V-25W		8.6ft 2.6m	4.9ft 1.5m	13.1ft 3.9m	5.4ft 1.6m	10.8ft 3.2m	8.6ft 2.6m	6.7ft 2m	5.4ft 1.6m	8ft 2.5m	8.6ft 2.6m	5.4ft 1.6m	7 puck lights
TLDDIM24V-60W		20ft 6.1m	11.7ft 3.5m	31.5ft 9.6m	13ft 4m	26ft 7.9m	20ft 6.1m	16.4ft 5m	13ft 3.9m	20ft 6.1m	20ft 6.1m	13ft 4m	17 puck lights
TLDDIM24V-96W TLDDIM24V-96WB		33ft 10m	18.8ft 5.7m	50.5ft 15.3m	20ft 6m	41.7ft 12.7m	33ft 10m	25.9ft 7.8m	20ft 6m	32ft 9.7m	33ft 10m	20ft 6m	
TLDDIM24V-160W		55.1ft 16.7m	31.3ft 9.5m	84.2ft 25.6m	34.7ft 10.5m	69.5ft 21.1m	55.1ft 16.7m	43.2ft 13.1m	34.7ft 10.5m	53.3ft 16.2m	55.1ft 16.7m	34.7ft 10.5m	
TLDCCT24V-96W TLDCCT24V-96WB		33ft 10m	-	50.5ft 15.3m	20ft 6m	41.7ft 12.7m	-	-	-	32ft 9.7m	33ft 10m	-	